



OTBL-0608L8AOHDK

Fiber Optic Termination Box 08 FO

May 2022



DESCRIPTION

OTBL-0608L8AOHDK is a plastic fiber optic terminal box that suitable for optical fiber splicing, distribution and protection. 1pc plastic splitter cassette 1x8. It support 8 drop cable output and cable entry without cutting.


FEATURES

- Small size, reasonable structure, convenient for operation.
- Material: PP impact resistant plastic.
- Load 1pc plastic splitter cassette 1x8.
- Load 1pc PLC 1:8 steel tube type splitter.
- Wall mounted and pole mounted application available
- Waterproof, outdoor using, IP65
- Cable ports:
 - 1pc cable port M20 suitable for $\Phi 6\sim 11$ mm cable entry
 - 1pc reserved hole suitable for M20 cable gland
 - 1pc oval port support $\Phi 6\sim 12$ mm cable entry without cutting
 - 8 pcs 2*3mm FTTH drop cable output ports

SPECIFICATION:

Model	Dimension (mm)	Material	Splitter	Splicing capacity	Cable port	Application
OTBL-0608L8AOHDK	195.5x240x77.5	PP	Splitter Cassette 1:08	8 fibers	1 PG gland + 1 oval + 8 drop cable port + 1 reserved hole	Outdoor wall mounted or pole mounted

DIAGRAM



- 1 - Cable entry port
- 2 - fiber optic cable
- 3 - Turnover plate
- 4 - Heat shrinkable sleeve
- 5 - Plastic splitter cassette
- 6 - Drop cable output port

ACCESSORIES

Item	Product	Specification	Qty
1	Heat protection shrinkable sleeve	45mm*2.3*1.0	As per using capacity
2	Cable tie	3*120mm white	4 pcs
3	Countersunk Screws	C type 4*30 metal	4 pcs
4	Plastic Expansion Pipe	Φ6mm plastic white	4 pcs

APPLICATIONS

FTTH access network / Telecommunication Networks / CATV Networks / Data communications Networks / Local Area Networks



STREET



HOSPITAL



INDUSTRIES



FTTH



OTHERS