OTB-0608AOHDK

UNPOPULATED Fiber Optic Termination Box 08 FO

Cable Fitting
Optic Cables
Optic Tolls
Fiber Patch Panel
Fiber Protection
Fiber Cassette
Flexon
Fiber Connectivity
Fiber Box
PLC
Fiber Box

DESCRIPTION

OTB-0608AOHDK is a plastic fiber optic terminal box that suitable for optical fiber splicing, distribution. Fiber adapter Empty Cassette Type of 9 SC simplex adapter port or 1pc plastic splitter cassette 1x8. It support 8 drop cable output and cable entry without cutting.

FEATURES

- Small size, reasonable structure, convenient for operation.
- Material: PP impact resistant plastic.
- 1pc plastic splitter cassette 1x8.
- Support 1pc PLC 1:8 steel tube type splitter.
- Wall mounted and pole mounted application available
- Waterproof, outdoor using, IP65
- Cable ports:
    - 1pc cable port M20 suitable for Φ6~11mm cable entry
    - 1pc reserved hole suitable for M20 cable gland
    - 1pc oval port support Φ6~12mm cable entry without cutting
    - 8 pcs 2*3mm FTTH drop cable output ports

SPECIFICATION:

Dimension (mm)	Material	Adapter port	Splicing capacity	Cable port	Application
195.5x 240x77.5	PP	9 SC simplex	8 fibers	1 PG gland + 1 oval + 8 drop cable port + 1 reserved hole	Outdoor wall mounted or pole mounted

Cablix

OTB-0608AOHDK

UNPOPULATED Fiber Optic Termination Box 08 FO

DIAGRAM

1 - Cable entry port
2 - fiber optic cable
3 - Turnover plate
4 - Heat shrinkable sleeve
5 - Plastic splitter cassette
6 - Drop cable output port

ACCESORIES

Item	Product	Specification	Qty
1	Heat protection shrinkable sleeve	45mm*2.3*1.0	As per using capacity
2	Cable tie	3*120mm white	4 pcs
3	Countersunk Screws	C type 4*30 metal	4 pcs
4	Plastic Expansion Pipe	Φ6mm plastic white	4 pcs

APPLICATIONS

FTTH access network / Telecommunication Networks / CATV Networks /Data communications Networks / Local Area Networks

STREET HOSPITAL INDUSTRIES FTTH OTHERS